



HP Professional Gloss Photo Paper

Experience outstanding, heavyweight, resin-coated photo paper for photographic printing



Enjoy high - performance photo printing

Now you can print highend photography, posters, and retail graphics for either custom or high - volume projects with your HP Latex printer on this versatile resin-coated photo paper.

Move quickly and efficiently through production

There's no need to wait; print and deliver to provide quick turnarounds for your customers. This heavyweight photo paper (275 gsm) also provides increased stability for handling high - volume production.

Achieve spot-on, dynamic color

The bright - white finish provides a high dynamic range and a wide color gamut for color critical, eye-catching reproductions on a gloss finish.

Target customers	Applications	Benefits
Point-of-purchase providers	Photo enlargements	Prints come out completely dry, enabling product printing
Trade show and exhibit companies	Art and décor reproductions	Heavy, thick construction for easy handling
Photo and art reproduction houses	Point-of-purchase displays	Wide color gamut and brightwhite surface
Technical Specifications	Trade show and event displays	FSC®-certified paper ¹

Iztapalapa

T. 55 5037 2980

Chapultepec

T. 55 5516 5565

T. 55 5516 1432

Guadalajara

T. 33 3826 6757

T. 33 3825 0964

Monterrey

T. 81 8340 5933

T. 81 8345 5933

Kronaline®

inventar, crear, imprimir

Distribuidor Autorizado de Papeles HP

✉ dventas@kronaline.com.mx



HP Professional Gloss Photo Paper

Ink compatibility	Compatible with Original HP Latex Inks; also solvent, low-solvent, and UV-curable inks
Weight	275 g/m ² per ISO 536 Test Method
Thickness	248 microns/9.8 mil per ISO 534 Test Method
Opacity	> 96% per TAPPI T425 Test Method
Brightness	96 per TAPPI T-452 Test Method
Whiteness	130 per ISO 11475 Test Method
Finish	Gloss
Operating temperature	15 to 35° C / 59 to 95° F
Operating humidity	30 to 80% RH
Dry time	Instant dry
Lamination	Yes, cold
Shelf life	1 year, unopened in original packaging
Storage temperature	0 to 40° C / 32 to 104° F
Storage humidity	5 to 95% RH
Environmental	FSC®-certified paper ¹
Country of origin	Product of Germany
Core size	3-in core

Ordering Information

Product Number	Roll Sizes	UPC	Region
E4J42A	914 mm x 30,5 m (36 in x 100 ft)	848412014464	Worldwide

Iztapalapa

T. 55 5037 2980

Chapultepec

T. 55 5516 5565

T. 55 5516 1432

Guadalajara

T. 33 3826 6757

T. 33 3825 0964

Monterrey

T. 81 8340 5933

T. 81 8345 5933

Kronaline®
inventar, crear, imprimir

Distribuidor Autorizado de Papeles HP

✉ dventas@kronaline.com.mx



HP Professional Gloss Photo Paper

Product Number	Roll Sizes	UPC	Region
E4J43A	1067 mm x 30,5 m (42 in x 100 ft)	848412014471	Worldwide
E4J44A	1372 mm x 30,5 m (54 in x 100 ft)	848412014488	Worldwide
E4J45A	1524 mm x 30,5 m (60 in x 100 ft)	848412014495	Worldwide



The mark of
responsible forestry

Iztapalapa

T. 55 5037 2980

Chapultepec

T. 55 5516 5565

T. 55 5516 1432

Guadalajara

T. 33 3826 6757

T. 33 3825 0964

Monterrey

T. 81 8340 5933

T. 81 8345 5933

KronalinE®

inventar, crear, imprimir

Distribuidor Autorizado de Papeles HP

✉ dventas@kronaline.com.mx