



HP Matte Litho - realistic Paper 3 - in Core

Deliver high -quality, litho -realistic output



Cost effective alternative to offset paper

Produce high-quality poster art and reproductions. HP Matte Litho -realistic Paper, with a color -stable coating, has the look and feel of heavy, offset paper.

Produce high -quality poster art and reproductions

Deliver prints that withstand the test of time. Providing durable performance indoors, away from direct sun, up to 200 years¹, in-window up to 1 year un laminated², up to 2 years laminated² on this color -stable, lignin-free paper.

Maintain a smooth workflow, high productivity

To provide trouble -free printing, HP printing materials are designed together with HP DesignJet printers and HP inks. HP Matte Litho -realistic Paper provides excellent image quality in productive modes, instant handling, and flexible processing.

Target customers	Applications	Benefits
Print service providers	Art reproductions	The look and feel of a heavy, offset matte paper
Art reproduction houses	Photo enlargements	Excellent water resistance with Original HP pigment-based inks
Artists		Color-stable, lignin-free, buffered paper
Technical Specifications		No optical brighteners
		Instant handling, flexible processing
		Excellent film-laminate compatibility
		Cost-effective alternative to high-end, smooth fine art papers
		FSC®-certified paper ⁴

Iztapalapa

T. 55 5037 2980

Chapultepec

T. 55 5516 5565

T. 55 5516 1432

Guadalajara

T. 33 3826 6757

T. 33 3825 0964

Monterrey

T. 81 8340 5933

T. 81 8345 5933

Kronaline®

inventar, crear, imprimir

Distribuidor Autorizado de Papeles HP

✉ dventas@kronaline.com.mx



HP Matte Litho - realistic Paper 3 - in Core

Ink compatibility	Original HP pigment- and dye-based inks for HP DesignJet printers and original HP Latex Inks for HP Latex
Weight	269 g/m ² per ISO 536 Test Method
Thickness	307 microns/12.1 mil per ISO 534 Test Method
Opacity	> 98% per TAPPI T-425 Test Method
Brightness	95 per TAPPI T-452 Test Method
Whiteness	95 per ISO 11475 Test Method
Finish	Matte
Operating temperature	15 to 30° C / 59 to 86° F
Operating humidity	40 to 60% RH
Display permanence (Indoor home or office)	Up to 200 years with Original HP 771 Vivid Photo Inks or HP 70 Photo Inks or HP 83 UV inks ¹
Display permanence (Commercial in-window, unlaminated)	Up to 1 year with Original HP 91 or HP 70 Photo Inks ²
Display permanence (Commercial in-window, laminated)	Up to 2 years with Original HP 771 Vivid Photo Inks or HP 91 Photo Inks ²
Water resistance	Water resistant with Original HP 772, HP 91, or HP 70 Photo Inks, or HP 771 Vivid Photo Inks ³
Dry time	Instant (at 23° C, 50% RH)
Handling	Fine art papers should be handled with care to avoid scratching.
Shelf life	1 year, unopened in original packaging
Storage temperature	0 to 40° C / 32 to 104° F
Storage humidity	5 to 95% RH
Country of origin	Product of Germany
Environmental	Commonly recyclable ⁵ and FSC®-certified paper. ⁴
Core size	3-in core

Ordering Information

Product Number	Roll Sizes	UPC	Region
K6B77A	610 mm x 30,5 m (24 in x 100 ft)	848412015690	Worldwide
K6B78A	914 mm x 30,5 m (36 in x 100 ft)	848412015706	Worldwide
K6B80A	1117 mm x 30,5 m (44 in x 100 ft)	848412015720	Worldwide

Iztapalapa

T. 55 5037 2980

Chapultepec

T. 55 5516 5565

T. 55 5516 1432

Guadalajara

T. 33 3826 6757

T. 33 3825 0964

Monterrey

T. 81 8340 5933

T. 81 8345 5933

Kronaline®

inventar, crear, imprimir

Distribuidor Autorizado de Papeles HP

✉ dventas@kronaline.com.mx



HP Matte Litho - realistic Paper 3 - in Core

Product Number	Roll Sizes	UPC	Region
K6B82A	1524 mm x 30,5 m (60 in x 100 ft)	848412015744	Worldwide



The mark of
responsible forestry

Iztapalapa

T. 55 5037 2980

Chapultepec

T. 55 5516 5565

T. 55 5516 1432

Guadalajara

T. 33 3826 6757

T. 33 3825 0964

Monterrey

T. 81 8340 5933

T. 81 8345 5933

KronalinE®

inventar, crear, imprimir

Distribuidor Autorizado de Papeles HP

✉ dventas@kronaline.com.mx