



The HP large format printing system-the complete solution

 $HP\ large\ format\ printers, Original\ HP\ inks\ and$ printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.



Create custom wrapping paper with your HP PageWide XL, HP DesignJet, or HP Latex printer

Find new profit potential with custom wrapping paper

The trend toward personalization is growing and now includes gift wrap. With the ability to print personal images, logos, and messages, customized wrapping paper is the perfect way to make a gift look special.

Achieve high-quality, durable results

Produce high-quality wrapping paper and posters that provide excellent image quality. With Original HP inks, prints dry quickly and stay intact with handling-resisting smudges and smears..

Maintain a smooth workflow, high productivity

To enable trouble-free printing, HP printing materials are designed together with Original HP PageWide XL pigment inks, Original HP pigment- and dye-based inks for HP DesignJet printers, and Original HP Latex Inks.

Target customers	Applications	Benefits	
Print service providers	Wrapping paper	Unique, customized wrapping paper for increased profit potential	
Photo printing houses	POS posters	Optimized for HP PageWide XL, HP DesignJet, and HP Latex printers	
Quick printers	Posters and presentations Works well with an external take-up reel		
In-house printing		Recyclable through commonly available programs ¹	

T. 33 3825 0964



Data sheet | HP Satin Wrapping Paper, 3-in Core

Technical specifications



HP Satin Wrapping Paper, 3-in Core

For the latest ICC profiles/paper presets, please visit HPLFMedia.com/paperpresets.

Ink compatibility		Original HP PageWide XL pigment inks, Original HP pigment- and dye-based inks for HP DesignJet printers, and Original HP Latex Inks					
Weight	100 g/m² per	100 g/m² per ISO 536 Test Method					
Thickness	99 microns, 3	99 microns, 3.9 mil per ISO 534 Test Method					
Opacity	>90% per TAF	>90% per TAPPI T-425 Test Method					
Brightness	>97 per TAPP	>97 per TAPPI T-452 Test Method					
Finish	Satin	Satin					
Whiteness	>122 per ASTI	>122 per ASTM E-313 Test Method					
Operating temperature	20 to 30° C / 6	20 to 30° C / 68 to 86° F					
Operating humidity	50% RH	50% RH					
Dry time	Immediate (a	Immediate (at 25° C, 50% RH)					
Shelf life	2 years, unop	2 years, unopened in original packaging					
Storage temperature	15 to 35° C / 5	15 to 35° C / 59 to 95° F					
Storage humidity	50% RH	50% RH					
Environmental	Recyclable th	Recyclable through commonly available recycling programs ¹					
Country of origin	Product of Ge	Product of Germany					
Ordering information	Product num	bers Roll sizes	UPC codes	Region			
	Z6G70A	762 mm x 45,7 m (30 in x 150 ft)	848412024630	United States, Canada, and Latin America			
	4WN17A	610 mm x 152,4 m (24 in x 500 ft), 2 Pack	848412025040	United States, Canada, and Latin America			
	6SE66A	762 mm x 152,4 m (30 in x 500 ft), 2 Pack	848412025064	United States, Canada, and Latin America			
	4WN18A	914 mm x 152,4 m (36 in x 500 ft), 2 Pack	848412025057	United States, Canada, an Latin America			
	2B0X4A	1524 mm x 152,4 m (60 in x 500 ft)	848412027884	United States, Canada, an Latin America			
Warranty	statement, ple	at printing materials are free from defect: ase see <u>HPLFMedia.com/hp/MediaWarr</u> ement Group customer support at <u>HPLFN</u>	anties. To obtain wa	irranty service, please contact			

¹ Can be recycled through commonly available recycling programs.



Iztapalapa T. 55 5037 2980 Chapultepec

T. 55 5516 5565 T. 55 5516 1432 Guadalajara

T. 33 3826 6757 T. 33 3825 0964 Monterrey

T. 81 8340 5933 T. 81 8345 5933

